



3200AT S2


Forage Harvesters

At JF, we take your forage seriously! What about you?

Get to know the JF 3200 AT, the world's highest-productivity forage harvester for tractors, and discover why it's the perfect equipment for contractors and large farmers to finish harvesting quicker, improving the processing and quality of silage.

FEATURES

- ✓ Working width of 3.20m for harvesting forage planted in rows, broadcast, intercropped, and in any direction. It features 4 drums with adjustable speed for faster harvesting and covering of the silage pit.
- ✓ Exclusive Twin Rotor technology with 32 extra sized "C" technology blades for quick processing of forage, ideal particle size and more kernel cracking;
- ✓ It harvests up to 7 rows* of maize or sorghum with high speed and less soil compaction;
- ✓ Designed for harvesting large plots with lower investment, maintenance cost and with much more fuel savings in comparison to self-propelled machines. It is the ideal equipment for large farms and contractors;
- ✓ Front and rear coupling to the tractor for an inline driving experience, easier maneuvering and optimized harvesting in plots without space on the edges. Besides that, it features complete and precise hydraulic control for comfortable operation;
- ✓ Heavy-duty transmission and reliable design;
- ✓ 12 chop sizes available with easy shifting, perfect for working in various forage, harvesting, and dry matter conditions.



With JF you take complete control over the time and manner your forage is harvested!



Detachable header for quicker maintenance



Transmission free of belts and chains



Centralized lubrication system



KERNEL PROCESSOR

+ PRO Kernel Processor: +PRO processes grains for higher energy in the feed and less grains in the dung. Working together with "C" technology rotor blades, this system delivers the correct fiber sizes for a healthy rumination and better animal performance.

TECHNICAL SPECS

Capacity	up to 90 ton/h2	Chop sizes	12 (from 3 to 21mm)
Working width	3,2m ²	Number of blades	32
Required Power at PTO	from 200 to 240 hp	Approximate weight	4121 kg
Required revolution at PTO	1000 RPM	Linkage type	cat III
Drive	Tractor PTO	Transmission system	gearbox/ cardan

*Productivity might vary and depends on the following factors: cut size; productivity of forage per hectare; tractor power; logistic capacity (wagons) for forage transportation. Before acquiring the equipment, please talk to your dealer about the size of your tractor tire.